# Chemical Physics

#### Contents

VOL. 239, NOS. 1-3 15 DECEMBER 1998

Abstracted/indexed in: Chemical Abstracts, ERDA Abstracts, ISI Current Contents, Inspec Abstracts, Nuclear Engineering Abstracts, Physics Abstracts, Physics Abstracts, Physics Abstracts, Physics Briefs

| Molecular Clusters  |     |
|---|-----|
| Preface   | vii |
| <ul> <li>Hydrogen-Bound Clusters</li> <li>Double resonance spectroscopy of phenol(H<sub>2</sub>O)<sub>1-12</sub>: evidence for ice-like structures in aromate-water clusters?</li> <li>W. Roth, M. Schmitt, Ch. Jacoby, D. Spangenberg, Ch. Janzen and K. Kleinermanns</li> </ul> | 1   |
| Vibrational spectroscopy of single methanol molecules attached to liquid water clusters F. Huisken, S. Mohammad-Pooran and O. Werhahn   | 11  |
| Investigations of OH-N- and NH-O-type hydrogen-bonded clusters by UV laser spectroscopy C. Jacoby, P. Hering, M. Schmitt, W. Roth and K. Kleinermanns   | 23  |
| Highly resolved UV spectroscopy of clusters: isotope substitution studies of hydrogen-bonded phenol water R.M. Helm and H.J. Neusser  | 33  |
| Hydrogen bonding in (substituted benzene) · (water) <sub>n</sub> clusters with $n \le 4$ HD. Barth, K. Buchhold, S. Djafari, B. Reimann, U. Lommatzsch and B. Brutschy  | 49  |
| Electronic spectroscopy of jet-cooled anthracene/ $(H_2O)_n$ clusters ( $n=1-16$ ): comparisons of inhomogeneous structure P.M. Palmer and M.R. Topp  | 65  |
| Resonant ion-dip infrared spectroscopy of benzene-(water) <sub>n</sub> -(methanol) <sub>m</sub> clusters with $n + m = 4, 5$ F.C. Hagemeister, C.J. Gruenloh and T.S. Zwier   | 83  |
| Equatorial piperidine and the piperidine-water complex. Rotational spectra and molecular structures U. Spoerel and W. Stahl   | 97  |
| A contribution to the rotational spectrum, structure, and dynamics of the benzonitrile-water complex in the $\mathbf{S}_0$ electronic state V. Storm, H. Dreizler and D. Consalvo   | 109 |
| Van der Waals and Weakly Bound Complexes  On the use of evaporation dynamics to characterize phase transitions in van der Waals clusters: investigations in aniline–(argon) <sub>n</sub> up to n = 15  P. Parneix, F.G. Amar and P. Bréchignac                                    | 121 |
| Laser-induced fluorescence spectroscopy of van der Waals complexes of tetracene−Ar <sub>N</sub> (N ≤ 5) and pentacene−Ar within ultracold liquid He droplets M. Hartmann, A. Lindinger, J.P. Toennies and A.F. Vilesov  | 139 |
| Existence of two internal energy distributions in jet-formed van der Waals heteroclusters: example of the anthracene–argon, system  D. Uridat, V. Brenner, I. Dimicoli, J. Le Calvé, P. Millié, M. Mons and F. Piuzzi.  | 151 |

(continued on inside back page)



0301-0104(19981215)239-1-3-1-0

# Chemical Physics

#### Contents

VOL. 239, NOS. 1-3 15 DECEMBER 1998

Abstracted/indexed in: Chemical Abstracts, ERDA Abstracts, ISI Current Contents, Inspec Abstracts, Nuclear Engineering Abstracts, Physics Abstracts, Physics Abstracts, Physics Abstracts, Physics Briefs

| Molecular Clusters  |     |
|---|-----|
| Preface   | vii |
| <ul> <li>Hydrogen-Bound Clusters</li> <li>Double resonance spectroscopy of phenol(H<sub>2</sub>O)<sub>1-12</sub>: evidence for ice-like structures in aromate-water clusters?</li> <li>W. Roth, M. Schmitt, Ch. Jacoby, D. Spangenberg, Ch. Janzen and K. Kleinermanns</li> </ul> | 1   |
| Vibrational spectroscopy of single methanol molecules attached to liquid water clusters F. Huisken, S. Mohammad-Pooran and O. Werhahn   | 11  |
| Investigations of OH-N- and NH-O-type hydrogen-bonded clusters by UV laser spectroscopy C. Jacoby, P. Hering, M. Schmitt, W. Roth and K. Kleinermanns   | 23  |
| Highly resolved UV spectroscopy of clusters: isotope substitution studies of hydrogen-bonded phenol water R.M. Helm and H.J. Neusser  | 33  |
| Hydrogen bonding in (substituted benzene) · (water) <sub>n</sub> clusters with $n \le 4$ HD. Barth, K. Buchhold, S. Djafari, B. Reimann, U. Lommatzsch and B. Brutschy  | 49  |
| Electronic spectroscopy of jet-cooled anthracene/ $(H_2O)_n$ clusters ( $n=1-16$ ): comparisons of inhomogeneous structure P.M. Palmer and M.R. Topp  | 65  |
| Resonant ion-dip infrared spectroscopy of benzene-(water) <sub>n</sub> -(methanol) <sub>m</sub> clusters with $n + m = 4, 5$ F.C. Hagemeister, C.J. Gruenloh and T.S. Zwier   | 83  |
| Equatorial piperidine and the piperidine-water complex. Rotational spectra and molecular structures U. Spoerel and W. Stahl   | 97  |
| A contribution to the rotational spectrum, structure, and dynamics of the benzonitrile-water complex in the $\mathbf{S}_0$ electronic state V. Storm, H. Dreizler and D. Consalvo   | 109 |
| Van der Waals and Weakly Bound Complexes  On the use of evaporation dynamics to characterize phase transitions in van der Waals clusters: investigations in aniline–(argon) <sub>n</sub> up to n = 15  P. Parneix, F.G. Amar and P. Bréchignac                                    | 121 |
| Laser-induced fluorescence spectroscopy of van der Waals complexes of tetracene−Ar <sub>N</sub> (N ≤ 5) and pentacene−Ar within ultracold liquid He droplets M. Hartmann, A. Lindinger, J.P. Toennies and A.F. Vilesov  | 139 |
| Existence of two internal energy distributions in jet-formed van der Waals heteroclusters: example of the anthracene–argon, system  D. Uridat, V. Brenner, I. Dimicoli, J. Le Calvé, P. Millié, M. Mons and F. Piuzzi.  | 151 |

(continued on inside back page)



0301-0104(19981215)239-1-3-1-0

## **Contents**

C.J. Weinheimer and J.M. Lisy

| (continued from page 4 of cover)  |     |
|---|-----|
| The B ← X spectrum of ArCl <sub>2</sub> : linear and perpendicular isomers K.C. Janda, D. Djahandideh, O. Roncero and N. Halberstadt  | 177 |
| Effects of complex formation on reactions of oxygen with HCl and Ar-HCl M.W. Lufaso and A.B. McCoy  | 187 |
| A contribution to the structure determination of Ar-thiophene: the electric dipole moment U. Spoerel and D. Consalvo  | 199 |
| Electronic spectroscopy and excited state dynamics of the $Al-N_2$ complex X. Yang, I. Gerasimov and P.J. Dagdigian   | 207 |
| Adducts of aromatic molecules with rare gases: rotational spectrum of pyrazole-argon W. Caminati, P.G. Favero and B. Velino   | 223 |
| Rotational spectrum and dynamics of tetrahydrofuran-argon<br>S. Melandri, J.C. López, P.G. Favero, W. Caminati and J.L. Alonso  | 229 |
| Isomeric structures, large amplitude intermolecular motions and electronic relaxation of the propynal-Ar complex P. DeRose, PY. Cheng, B. Xue, SS. Ju and HL. Dai   | 235 |
| Large-amplitude motion in highly quantum clusters: high-resolution infrared absorption studies of jet-cooled $\rm H_2$ -HCl and $\rm H_2$ -DCl D.T. Anderson, M. Schuder and D.J. Nesbitt                       | 25: |
| Cluster Collisions Penning ionization of C <sub>60</sub> and C <sub>70</sub> J.M. Weber, K. Hansen, MW. Ruf and H. Hotop  | 27  |
| Angular and velocity distributions of small cluster fragments in neutral $(NH_3)_n$ scattering off LiF(100) C. Menzel, R. Baumfalk and H. Zacharias   | 28  |
| Capture dynamics in collisions between fullerene ions and rare gas atoms E.E.B. Campbell, R. Ehlich, G. Heusler, O. Knospe and H. Sprang  | 29  |
| Dynamics and Reactivity  Charge stripping effects from highly charged iodine ions formed from Coulomb explosion of CH <sub>3</sub> I clusters  L. Poth, Q. Zhong, J.V. Ford, S.M. Hurley and A.W. Castleman Jr. | 30  |
| Ultrafast dynamics of transition metal carbonyls. II. Picosecond evaporation after photodissociation of $Cr(CO)_6 \cdot (CH_3OH)_n$ heteroclusters at 280 nm M. Gutmann, J.M. Janello and M.S. Dickebohm        | 31  |
| Reactivity of vinyl chloride ionic clusters<br>S. Martrenchard, C. Dedonder-Lardeux, I. Dimicoli, G. Grégoire, C. Jouvet, M. Mons and D. Solgadi  | 33  |
| Mode dependence of the state-to-state vibrational dynamics of HCN-HF L. Oudejans and R.E. Miller  | 34  |
| Vibrational and unimolecular dissociation of mixed solvent cluster ions: Na <sup>+</sup> ((CH <sub>3</sub> ) <sub>2</sub> CO) <sub>n</sub> (CH <sub>3</sub> OH) <sub>m</sub>                                    |     |

357

### **Contents**

(continued from following page)

| P | hotofragmentation dynamics of the $(N_2O)_2^+$ and $(N_2O)_3^+$ clusters: fragment $N_2O^+$ A $\leftarrow$ X spectra S.A. Nizkorodov and E.J. Bieske   | 369 |
|---|--|-----|
| S | tability and reactivity of hydrated magnesium cations C. Berg, M. Beyer, U. Achatz, S. Joos, G. Niedner-Schatteburg and V.E. Bondybey  | 379 |
|   | ation Clusters afrared photodissociation spectra of isomeric $SiOH^+-Ar_n$ ( $n=1-10$ ) complexes R.V. Olkhov, S.A. Nizkorodov and O. Dopfer   | 393 |
| Н | ligh-resolution electron ionization study of CO, (CO) <sub>2</sub> and (CO) <sub>3</sub> : appearance energies and bond dissociation energies  D. Muigg, G. Denifl, A. Stamatovic, O. Echt and T.D. Märk                 | 409 |
| S | tructure and dynamics of the phenol-water-argon cation radical  D.M. Chapman, F.J. Hompf, K. Müller-Dethlefs, E. Waterstradt, P. Hobza and V. Špirko   | 417 |
| P | hotodissociation spectroscopy of (benzene-toluene) <sup>+</sup> . Charge delocalization in the hetero-dimer ion K. Ohashi, Y. Nakane, Y. Inokuchi, Y. Nakai and N. Nishi   | 429 |
| Z | EKE electron spectroscopy of azulene and azulene-argon D. Tanaka, S. Sato and K. Kimura  | 437 |
| P | hotodissociation of $\mathrm{Mg}^+$ –(CH <sub>3</sub> OH) <sub>N</sub> complexes: evidence for the onset of solvation M.R. France, S.H. Pullins and M.A. Duncan  | 447 |
| - | Anion Clusters  Threshold electron attachment and electron impact ionization involving oxygen dimers  J. Kreil, MW. Ruf, H. Hotop, I. Ettischer and U. Buck  | 459 |
| N | leutral and negatively-charged formamide, N-methylformamide and dimethylformamide clusters<br>C. Desfrançois, V. Périquet, S. Carles, J.P. Schermann and L. Adamowicz  | 475 |
| N | Mass-selected "matrix isolation" infrared spectroscopy of the I <sup>-</sup> ·(H <sub>2</sub> O) <sub>2</sub> complex: making and breaking the inter-water hydrogen-bond P. Ayotte, G.H. Weddle, J. Kim and M.A. Johnson | 485 |
| F | Photoelectron-photofragment coincidence studies of the dissociative photodetachment of O <sub>4</sub> <sup>-</sup> K.A. Hanold and R.E. Continetti   | 493 |
| I | Anion spectroscopy of uracil, thymine and the amino-oxo and amino-hydroxy tautomers of cytosine and their water clusters  J. Schiedt, R. Weinkauf, D.M. Neumark and E.W. Schlag  | 511 |
|   | Theory Modeling structure and dynamics of solvated molecular ions: Photodissociation and recombination in $I_2^-(CO_2)_n$ J. Faeder, N. Delaney, P.E. Maslen and R. Parson   | 525 |
| ( | Calculation of structures and vibrational spectra of acetonitrile clusters  J.G. Siebers, U. Buck and T.A. Beu   | 549 |
| 1 | improved intermolecular water potential from global geometry optimization of small water clusters using local MP2  |     |
|   | B. Hartke, M. Schütz and HJ. Werner  | 561 |

### **Contents**

(continued from following page)

| Many-body exchange effects in clusters of rare gases with a chromophore: He <sub>2</sub> CO <sub>2</sub> J. Jakowski, G. Chałasiński, M.M. Szczęśniak and S.M. Cybulski | 573 |
|---|-----|
| Melting behavior of the (H <sub>2</sub> O) <sub>6</sub> and (H <sub>2</sub> O) <sub>8</sub> clusters<br>J.M. Pedulla and K.D. Jordan                                    | 593 |
| Author index  | 603 |
| Subject index   | 609 |
| Instructions to authors   | 621 |



This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. The quickest way to register for **ContentsDirect** is via the World Wide Web at: www.elsevier.nl/locate/ContentsDirect

If you don't have access to the WWW you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk specifying the title of the publication you wish to register for.

The tables of contents are also available on the Elsevier Science website at: www.elsevier.nl or www.elsevier.co.jp